

Date of issue: 30/06/23

## PRODUCT SHEET

Ultra-microfiber mop head with backing for strap tape system







REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000PN02016		36	0,036	30x11	25	0,007	0,99
0000PN03016		52	0,052	40x11	25	0,011	1,49

Ideal for stainless steel surfaces, mirrors and windows

### **APPLICATIONS**

Used for the cleaning of inside glasses, mirrors, stainless steel surfaces and for all smooth vertical surfaces.





# COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable microfiber "flat" mop Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



## **ECO-FRIENDLY PRODUCT**

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

## **FEATURES**

- · High performance thanks to the excellent cleaning action of the ultra-microfiber cloth
- · Together with an alcohol-based chemical product, it cleans brightly with one wipe and without drying operations
- Bigger cleaning surface, if compared to the traditional systems
- Latex-free product

Disclaimer: Filmop International Srl reserves the right to update the contents of this document at any time and without notice.



Health and environment: Fulfillment of obligations under the European REACH regulation

Date of issue: 30/06/23

## PRODUCT SHEET

## **MATERIAL**

#### **CLEANING SIDE**

Microfibre: 72%

Microfibre composition: 80% Polyester - 20% Polyammide

Microfibre Denier: 0,13 Other fibers: 28%

Fibre composition: 100% Polyammide

Fabric weight: 190 gr/mq

#### **SYSTEM**

Strap tape in nylon

#### CARE AND MAINTENANCE

#### **WARNINGS**

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution. We suggest to use the specific net bags for the mop washing

#### WASHING INSTRUCTIONS

SUGGESTED washing temperature: 60° C

**95°** MAX washing temperature: 95° C

Bleaching possible - Do not use chlorine or bleach

Mechanical drying at low temperature 50°C

No ironing

Do not dry clean

Do not use softener Use alkaline detergents with Ph < 11

#### **RELATED PRODUCTS**



**TOP-CLEAN** - plastic mop holder with grip and strips 2,5 cm for strap tape system



Mop holder with strips for strap tape system with Lock System



Mop holder with strips for strap tape system with Uni-Connect joint and end cone and Lock System

Disclaimer: Filmop International Srl reserves the right to update the contents of this document at any time and without notice.



Health and environment: Fulfillment of obligations under the European REACH regulation



Date of issue: 30/06/23

## PRODUCT SHEET

## **GENERAL PRODUCT SAFETY**

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

### **DECLARATION OF CONFORMITY**

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"