

NEW

Prodotti Products 2026

NEW

Sistema di chiusura
automatica
Automatic locking
system

Con Alpha, la sicurezza
è al primo posto
With Alpha
Safety

NEW

Education

Prodotti e sistemi per gli
ambienti educativi
Products and systems for
educational environments

Prendersi cura
dell'educazione,
a partire dall'igiene
Taking care of education,
starting from hygiene

UNI-CONNECT
BETTER TOGETHER

FILMOP
INTERNATIONAL

FILMOP
INTERNATIONAL

FILMOP
INTERNATIONAL

SHINE
Unveiling the true
beauty of glass



AMSTERDAM
Interclean
14 - 17 APRIL 2026


FILMOP
INTERNATIONAL



www.filmop.com

Indice - Index

5



Shine line
Shine line

73




Uni-Connect
Uni-Connect

85



Sistema di chiusura automatica
Automatic locking system

89



Education
Education

SHINE

Unveiling the true
beauty of glass



Torna all'**indice**
Back to **index**



SHINE LINE



SHINE LINE

Glass gets its
shine back with
Filmop

The **Shine** line embodies **Filmop's excellence for professional glass cleaning**, designed to make it both highly effective and efficient.

Washers, window squeegees, poles and more: the operator has **everything he needs for every cleaning task**.

Quality materials, innovative features and high user comfort are the strengths that characterise and make the entire line unique.

Clarus-W Prime



SELECTED MATERIALS
Made of **high quality polypropylene copolymer**, lightweight and resistant

DISTINCTIVE FEATURES
It stands out for its many grooves that fill with cleaning solution when dipped and then gradually release it, ensuring **long lasting soaking**

EASE OF USE
The length of the handgrip and ergonomic design have been specially developed to **promote comfortable use and reduce fatigue**



Compatible with Uni-Connect system and Italian thread



Made from material that is fully recyclable at end-of-life



Clarus-W Prime



Clarus-W Master



**PATENT
PENDING**

SELECTED MATERIALS

Made of **high quality aluminium**, lightweight, stainless and resistant

DISTINCTIVE FEATURES


It stands out for its smooth, cavity-free washer head that adheres completely to the surface, making **dirt removal incredibly quick and easy**

EASE OF USE

The length of the handgrip and ergonomic design **promote comfortable use and reduce fatigue** while the bimaterial construction ensures a **non-slip hold**



Compatible with Uni-Connect system and Italian thread



Made from separable materials and therefore recyclable at end-of-life

Clarus-W Master



Jointed Clarus-W Master



The articulated version combines the advantages of the fixed version with the **rotation of the washer head up to 180°**, which can be **locked in an instant and at any point** using the practical knob.

The operator can decide whether to use the tool freely articulated, i.e. with an 'S' movement, or to **lock it at the desired angle** as required.

ANGLE LOCKING PROCEDURE



Turn the knob to the left to unlock the washer head

Position the washer head at the desired angle

Turn the knob to the right to lock the angle



180°




**PATENT
PENDING**



Made from separable materials and therefore recyclable at end-of-life



Compatible with Uni-Connect system and Italian thread



Jointed Clarus-W Master





Blades for professional drying

Completely smooth and free of imperfections, Filmop blades **perfectly clean the surface in a single wipe** ensuring considerable time savings.

The closed-cell natural rubber construction **prevents the build-up of dirt and bacteria**, thus raising hygiene standards, while the vulcanisation treatment **maximises resistance** and ensures a long service life.

Available in **blue** and **black** versions, they can be **replaced easily in the event of wear and tear**, extending the life of the squeegees in the range forever.



Highly effective
hard black rubber



Highly gliding
blue rubber



Gloss-W Superior



SELECTED MATERIALS
Made of **high-quality stainless steel**, resistant and long-lasting



DISTINCTIVE FEATURES



It allows even pressure over the entire length of the blade, resulting in **complete and residue-free drying**



Completely closed sideways to ensure **maximum safety in use** and prevent accidents



Designed to make it easier to insert the support and replace the blade when worn



Equipped with **convenient hole for hanging the squeegee** in use or at the end of cleaning operations



30°


Fixed operating angle to maximise performance and comfort



Partly made of recycled stainless steel




Compatible with Uni-Connect system



Gloss-W Superior

EASE OF USE

The ergonomic design **promotes comfortable handling** while the non-slip rubber coating ensures a **firm and secure grip in all conditions**



Blue silicone rubber
for high comfort



Black synthetic rubber
for maximum safety



Innovation in blade replacement

The **Gloss-W** range of **plastic squeegees** is characterised by a highly innovative system that allows **the blade to be turned or replaced extremely quickly and conveniently**, resulting in considerable time savings.

A light pressure on the retractable button is enough to **release the blade while keeping the support in place**. Harder pressure, on the other hand, allows it to be released when needed, requiring **30% less effort** than steel squeegees*.

REPLACEMENT PROCEDURE



Pull the retractable button to activate it



Press lightly to release the blade or more firmly to release the support

PATENT PENDING



Push the button in to deactivate it

* Tests carried out with Gloss-W plastic squeegees and a traditional steel squeegee

Gloss-W Prime



SELECTED MATERIALS

Made of **high-quality**, lightweight, impact-resistant **plastic** handgrip and **long-lasting stainless steel** support

DISTINCTIVE FEATURES

The clamp fastening system ensures **maximum hold of the support and blade** during glass drying operations by preventing accidental release

EASE OF USE

The length of the handgrip and ergonomic design have been specially developed to **promote comfortable use and reduce fatigue**



30°



CONNECT

PATENT PENDING

Fixed operating angle to maximise performance and comfort



Made from separable materials and therefore recyclable at end-of-life



Compatible with Uni-Connect system and Italian thread



Gloss-W Prime



Jointed Gloss-W Prime



Top of the range in the Shine line, Gloss- W Prime in the articulated version stands out for its **adjustable** squeegee head position of **up to 150°** and its **ergonomic and non-slip bimaterial** rubber and polyamide **handle**.

Acting on the head **button** and the **central handle knob**, the operator can decide to work with the **tool freely articulated**, i.e. with an 'S' movement, or **lock it in the standard central position or in any other position** according to his needs.

HOW TO USE IT

SQUEEGEE IN STANDARD CENTRAL POSITION



Put the head in the central position



Lock it to the handle by pressing the button downwards

FREELY ARTICULATED SQUEEGEE



Push the head button upwards to deactivate the central position



Turn the handle knob to the left to unlock the head

SQUEEGEE WITH DESIRED ANGLE



Set the head at the desired angle



Turn the handle knob to the right to lock the angle




PATENT PENDING



Made from separable materials and therefore recyclable at end-of-life



Compatible with Uni-Connect system and Italian thread



Jointed Gloss-W Prime



30°

Fixed operating angle
to maximise performance
and comfort



150°

Gloss-W Ambo



RAW MATERIALS

Lightweight and resistant thanks to **high-quality plastic, aluminium and stainless steel** construction

DISTINCTIVE FEATURES

Perfect symbiosis between the aluminium window washer support and the plastic squeegee that **allows one tool to be used for washing and drying**, speeding up operations

EASE OF USE

The length of the handgrip and ergonomic design have been specially developed to **promote comfortable use and reduce fatigue**



Fixed operating angle to maximise performance and comfort




PATENT PENDING



Made from separable materials and therefore recyclable at end-of-life



Compatible with Uni-Connect system and Italian thread



Gloss-W Ambo



Spectra-W Pro



SELECTED MATERIALS

Made of high quality aluminium, lightweight, stainless and resistant

DISTINCTIVE FEATURES



The **anti-twist system** prevents the tubes from twisting together, making it easier to extend the pole and ensuring greater stability during use



The **quick-opening and closing plastic ring** makes adjusting the pole to the desired height faster and more convenient



The **non-slip rubber grip** prevents the pole from slipping when it is placed vertically



The **practical hole** allows water to drain off when washing surfaces and enables the pole to be hung up

PATENT PENDING

EASE OF USE

The handle length and ergonomic design **promote comfortable use and reduce fatigue**, while the non-slip rubber material ensures a **firm and secure grip**

COMPATIBILITY

Supplied complete with **American thread cone**, making them **universal and compatible** with both Uni-Connect and conventional systems on the market



Compatible with Uni-Connect system and Italian thread



Made of separable materials and therefore recyclable at end-of-life

Spectra-W Pro



Spectra-W Pro



Joint for telescopic pole

Applicable to $\varnothing 21$ mm poles and $\varnothing 23$ mm handles, it allows **operation at any angle**, thus facilitating cleaning in the most difficult places.

Ideal combined with tools with a fixed working angle of 30° , it is equipped with a **push-button system that allows the rotation to be adjusted and locked** according to specific needs.



DISTINCTIVE FEATURES



225°


Rotation from 0° to 225° for maximum flexibility



Rotation lock every 15° for optimum precision



Compatible with Uni-Connect system and Italian thread



PATENT PENDING



Made from separable materials and therefore recyclable at end-of-life

Joint for telescopic pole




Cone with American thread



It can be applied to **poles** and **handles** and allows **tools with a cone-shaped end** to be attached so that even hard-to-reach places can be easily cleaned.



Compatible with Uni-Connect system



Made from material that is fully recyclable at end-of-life

Glass cleaning essentials



KIT FOR WINDOW CLEANING


Case containing the complete tool kit for professional window cleaning, equipped with elastic bands that keep the single products firmly in place and ready for use.



ADJUSTABLE BELT

The belt with pockets keeps **equipment within easy reach**, making it a useful ally when cleaning surfaces with manual cloths and washing floors with tools with tanks.


The adjustable fastening makes it universal and **can be quickly adapted to the operator**. It is supplied with **two practical pockets** and can be equipped with a **practical bag-holder ring** according to your needs.



Glass cleaning essentials



Glass cleaning essentials



BUCKET WITH WRINGER AND SQUEEGEE HOLDER

20 litre plastic bucket complete with ergonomic handle, graduated scale and bottom-saving edge for easy grip when emptying.

Equipped with a **wringer that can be used with 35 and 45 cm washer sleeves and a holder for the squeegee** that can be placed either inside or outside as required. It can also be equipped with **four swivelling wheels** for ease of transport.



PSV certified bucket
Plastic Second Life
Fully recyclable components
at end of life



MANUAL SLEEVE WRINGER

A useful tool for wringing excess liquid from the washer sleeve before passing it onto the glass, equipped with a handy hole for hanging and keeping it always at hand.




**PATENT
PENDING**



Made from material that is fully
recyclable at end-of-life

Glass cleaning essentials



Glass cleaning essentials



SHINE TROLLEY

A trolley with axial wheels specially designed for window cleaning, equipped with **everything necessary**; can be **freely accessorized** as required.

Ensures a **long service life** due to highly resistant premium materials.



4 lt buckets in two colours for easy identification of tools and chemicals

Useful **hooks** to hold dustpans, handles, spray bottles

Push-bar complete with reinforcements designed for easy handling

One-piece frame, robust, solid and easy to clean

Storage compartment to allow the transport of bottles and tools



Product partially made of plastic components certified PSV Plastic Second Life



The certified Carbon Footprint Systematic Approach allows the counting of CO₂ emissions related to each phase of the trolley lifecycle

Window washers

CLARUS-W PRIME - complete window washer polyester short yarn, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9602	35
9603	45

CLARUS-W PRIME - complete window washer polyester short yarn with scrubbing fibres, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9902	35
9903	45

CLARUS-W PRIME - complete window washer acrylic long yarn with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9702	35
9703	45

CLARUS-W PRIME - complete window washer polyester short yarn with abrasive fibre, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9632	35
9633	45

CLARUS-W PRIME - complete window washer polyester short yarn with scrubbing fibres and abrasive fibre, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9932	35
9933	45

CLARUS-W PRIME - complete window washer acrylic long yarn with abrasive fibre, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9732	35
9733	45

CLARUS-W PRIME - plastic support for washer sleeve with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9241	25
9242	35
9243	45

CLARUS-W MASTER - aluminium support for washer sleeve with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9344	55

CLARUS-W MASTER - jointed aluminium support for washer sleeve with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9441	25
9442	35
9443	45
9444	55

Polyester short yarn window washer sleeve



REF.	SIZE (cm) ↓ ↓ ↓
9105	25
9106	35
9107	45
9108	55

Window washer sleeve short yarn with scrubbing fibres



REF.	SIZE (cm) ↓ ↓ ↓
9405	25
9406	35
9407	45

Acrylic long yarn window washer sleeve



REF.	SIZE (cm) ↓ ↓ ↓
9505	25
9506	35
9507	45

Polyester short yarn window washer sleeve with abrasive pad



REF.	SIZE (cm) ↓ ↓ ↓
9135	25
9136	35
9137	45

Window washer sleeve short yarn with scrubbing fibres and abrasive pad



REF.	SIZE (cm) ↓ ↓ ↓
9435	25
9436	35
9437	45

Acrylic long yarn window washer sleeve with abrasive pad



REF.	SIZE (cm) ↓ ↓ ↓
9535	25
9536	35
9537	45

GLOSS-W AMBO - plastic window squeegee and sleeve with aluminium holder with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9952	35
9953	45

Plastic grip with window washer support for Gloss-W Ambo with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9561	25
9562	35
9563	45
9564	55

Window squeegee

GLOSS-W SUPERIOR - complete stainless steel squeegee with blue rubber blade



REF.	SIZE (cm) ↓ ↓ ↓
9451A	25
9452A	35
9453A	45
9454A	55

GLOSS-W SUPERIOR - stainless steel window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9451	25
9452	35
9453	45
9454	55

GLOSS-W PRIME - complete plastic squeegee with Italian thread and blue rubber blade



REF.	SIZE (cm) ↓ ↓ ↓
9551A	25
9552A	35
9553A	45
9554A	55

Plastic grip for Gloss-W Prime jointed window squeegee with Italian thread



REF.	NOTES
9761	

Stainless steel channel with blue rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9363A	25
9364A	35
9365A	45
9366A	55

Stainless steel channel with rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9363	25
9364	35
9365	45
9366	55

GLOSS-W PRIME - complete plastic window squeegee with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9551	25
9552	35
9553	45
9554	55

GLOSS-W PRIME - complete jointed plastic squeegee with Italian thread and blue rubber blade



REF.	SIZE (cm) ↓ ↓ ↓
9751A	25
9752A	35
9753A	45
9754A	55

GLOSS-W PRIME - complete plastic jointed window squeegee with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9751	25
9752	35
9753	45
9754	55

Blue rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9271A	92
9272A	71

Rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9271	92
9272	71
9376	55
9375	45
9374	35
9373	25

Stainless steel grip for blue window squeegee Gloss-W Superior



REF.	NOTES
9661A	

Stainless steel grip for window squeegee Gloss-W Superior



REF.	NOTES
9661	


Plastic grip for Gloss-W Prime window squeegee with Italian thread



REF.	NOTES
9861	

Aluminium poles

Aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS28150A	1 pc x 1,50 m	150

Telescopic aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 2 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
00059875A	2 pcs x 1,00 m	200
00059881A	2 pcs x 1,25 m	250
00059878A	2 pcs x 1,50 m	300
00059882A	2 pcs x 2,00 m	400
00059876A	2 pcs x 2,50 m	500
00059883A	2 pcs x 3,00 m	600


Telescopic aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 3 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
00059886A	3 pcs x 1,00 m	300
00059887A	3 pcs x 1,50 m	450
00059884A	3 pcs x 2,00 m	600
00059885A	3 pcs x 3,00 m	900
00059877A	3 pcs x 3,50 m	1050


Spectra-W Pro aluminium poles

SPECTRA-W PRO - aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS01150A	1 pc x 1,50 m	150

SPECTRA-W PRO - aluminium telescopic pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 2 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS02100A	2 pcs x 1,00 m	200
0005AS02125A	2 pcs x 1,25 m	250
0005AS02150A	2 pcs x 1,50 m	300
0005AS02200A	2 pcs x 2,00 m	400
0005AS02250A	2 pcs x 2,50 m	500
0005AS02300A	2 pcs x 3,00 m	600

SPECTRA-W PRO - aluminium telescopic pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 3 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS03100A	3 pcs x 1,00 m	300
0005AS03150A	3 pcs x 1,50 m	450
0005AS03200A	3 pcs x 2,00 m	600
0005AS03300A	3 pcs x 3,00 m	900
0005AS03350A	3 pcs x 3,50 m	1050

Accessories for poles

End cone with Italian thread for telescopic handles and poles with Uni-Connect system



REF.	NOTES
P179047UA	for handles ø 23 mm
P179049UA	for poles ø 21 mm

Joint with Italian thread for handles and telescopic poles for Uni-Connect system



REF.	NOTES
P179078UA	for handles ø 23 mm
P179079UA	for poles ø 21 mm

Cone with American thread



REF.	NOTES
P179032U	

End cone with Italian screw for telescopic pole



REF.	NOTES
9089/2A	

Cranked joint for telescopic pole



REF.	NOTES
9088A	

Hook for telescopic pole



REF.	NOTES
9096A	

Grey laquered wooden and metal display stand for handles and telescopic poles



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
P06000		45x45x41

Window cleaning set

Kit for window cleaning



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
9130		146x13x24,5
00059881A	Aluminium pole with cone for Uni-Connect system, 2x1.25 m	1 pc
9088A	Cranked joint for telescopic pole	1 pc
9271	Rubber blade for window squeegee 92 cm, Filmop line	1 pc
9316	CLIP - scraper with 10 blades	1 pc
9363	Stainless steel channel with rubber blade for window squeegee 25 cm, Filmop line	1 pc
9364	Stainless steel channel with rubber blade for window squeegee 35 cm, Filmop line	1 pc
9365	Stainless steel channel with rubber blade for window squeegee 45 cm, Filmop line	1 pc
9406	Window washer sleeve short yarn with scrubbing fibres, 35 cm	1 pc
9602	CLARUS-W PRIME - window washer polyester short yarn with fixed plastic support with Italian thread, 35 cm	1 pc
9661	Stainless steel grip for window squeegee, Filmop line	1 pc
9851	Floor scraper with plastic grip	1 pc
TCH201020	POWER-T - ultramicrofibre wiping cloth, 40x40 cm, blue	5 pcs

SHINE - glass line trolley



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0000LP2310U		78x58x120

20 lt plastic bucket with plastic handle complete with sieve and squeegee holder



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0002SE1222A		24x55x27

Window squeegees support for 10 and 20 lt buckets



REF.	NOTES
P190351U	

Manual plastic sleeve wringer



REF.	NOTES
P190015A	

Adjustable belt with 2 pockets for tools



REF.	NOTES
Q0400208	

Plastic ring to hold polybags for belt



REF.	NOTES
P190017H	

Wheel ø 50 mm



REF.	NOTES
7949	For King, Spider, Rocket Wheels, Duo Pro System, Prisma, Twin, Top-Down®, Pick-Up, Trend and code 0000SE1428

NOTES



FILMOP INTERNATIONAL SRL (Soc. a Socio Unico)
Via dell'Artigianato 10/11, 35010 VILLA DEL CONTE (PD), ITALY
Tel. +39 049 9325066 - Fax +39 049 9325317
e-mail: filmop@filmop.com - www.filmop.com

Photos and contents may have been updated



Product certification valid for a range of plastic products



Product certification valid for a range of textile products



Product certification valid for a selection of wheeled cabinets


Torna all'indice
Back to *index*



BETTER TOGETHER



Un intero sistema di pulizia completamente connesso
A completely connected cleaning system



Vetri, superfici, pavimenti: **Uni-Connect** arriva ovunque connettendo l'intera gamma di attrezzature per la pulizia professionale.

*Glass, surfaces, floors: **Uni-Connect** gets everywhere by connecting the entire range of professional cleaning equipment.*



Una connessione universale, istantanea e sicura.
Universal, instant and secure connection.

Caratteristiche - Features

Uni-Connect **connette istantaneamente e in totale sicurezza tutte le attrezzature** richieste per una pulizia completa degli ambienti.

Uni-Connect connects instantly and safely all equipment required for cleaning of environments.



CONNESSIONE UNIVERSALE
UNIVERSAL CONNECTION

Con Uni-Connect pulisci vetri, superfici e pavimenti usando un unico sistema: l'apposito cono terminale consente di agganciare lo stesso manico a qualsiasi attrezzatura di pulizia.

With Uni-Connect you can easily clean glass, surfaces and floors using a single system: the special end cone allows you to attach the handle to any cleaning equipment.




FISSAGGIO ISTANTANEO
INSTANT FASTENING

Uni-Connect è semplice e veloce: il fissaggio del cono terminale avviene all'istante, senza richiedere procedimenti complicati. Allo stesso modo, anche lo sgancio è facile e istantaneo.

Uni-Connect is quick and easy: attachment of the end cone takes place instantly, without the need for complicated procedures. Similarly, release is also easy and instantaneous.



Premi lateralmente e solleva l'attrezzo per sganciarlo
Press sideways and lift the tool to release it

Manico alluminio telescopico
Aluminium telescopic handle



ø 23



Asta in alluminio
Aluminium pole



ø 21



Caratteristiche - Features



AGGANCIAMENTO SICURO
SECURE FIXING

Uni-Connect rende la pulizia estremamente più sicura: il cono terminale è progettato per agganciarsi saldamente agli attrezzi mantenendoli fissati durante le operazioni di pulizia, evitando così pericolosi sganci.


Uni-Connect makes cleaning extremely safer: the end cone is designed to hook securely onto the tools, keeping them in place during cleaning operations and thus preventing dangerous disengagement.



La parte finale filettata rende il cono compatibile anche con gli attrezzi con filetto

The threaded end also makes the cone compatible with threaded tools

Con Uni-Connect l'attrezzo rimane agganciato anche se sottoposto a sollecitazioni
With Uni-Connect, the tool remains hooked even when subjected to stresses



Tergivetro e velli per la pulizia dei vetri, piumini e scovoli per le superfici e telai e frange per i pavimenti: **le possibilità offerte dalla gamma Uni-Connect sono molteplici** e soddisfano ogni esigenza.

L'operatore può **passare rapidamente da un attrezzo all'altro raggiungendo agevolmente ogni superficie**, anche quella più scomoda ed elevata.

Il manico non cambia con il cambiare degli attrezzi ma rimane sempre lo stesso, utilizzabile con tutte le attrezzature in gamma.

*Windows squeegees and washers for glass cleaning, dusters and cobweb brushes for surface cleaning and mops holders and mops for floors: **the options offered by the Uni-Connect range are manifold** and meet every need.*


*The operator can **quickly switch from one tool to another, easily cleaning any surface**, even the highest or hard-to-reach one.*

***The handle does not change as the tools change** but is always the same, and can be used with all the tools in the range.*

Caratteristiche - Features

Non solo operazioni più efficienti, rapide e sicure:
Uni-Connect ottimizza anche l'attrezzatura sul carrello.

Not only more efficient, faster and safer operations: Uni-Connect also optimises the equipment on the trolley.



CARRELLO ORGANIZZATO
ORGANISED TROLLEY

L'apposito attacco per lo sgancio dei telai permette di **organizzare in modo efficiente l'attrezzatura**. Disponibile come accessorio applicabile a pareti e montanti dei carrelli multiuso **Alpha** e fornito di serie nei carrelli strizzatori **OneFred**, consente di **attrezzarli in base alle esigenze creando soluzioni complete**.

*The special connection to remove the mop holders allows **efficient equipment organisation**. Available as an accessory that can be attached to the panels and frames of **Alpha** multi-purpose trolleys and supplied as standard on **OneFred** wringer trolleys, it allows **them to be equipped as required, creating complete solutions**.*



INGOMBRO MINIMO
MINIMUM SIZE

Grazie all'attacco è possibile **attrezzare anche i carrelli più compatti con tutto il necessario** per una pulizia completa degli ambienti, **mantenendo minimo l'ingombro**.

*Thanks to the connection, it is possible to **equip even the most compact trolleys with all necessary equipment** for complete room cleaning, while **keeping space requirements to a minimum**.*


Caratteristiche - Features




SGANCIO IMMEDIATO
IMMEDIATE RELEASE

Lo sgancio dei telai avviene in modo **istantaneo e senza inutili perdite di tempo**, permettendo all'operatore di passare velocemente all'attrezzo successivo e proseguire con le operazioni previste.

*The mop holders are released **quickly and without unnecessary loss of time**, allowing the operator to switch easily to the next tool and carry on with the planned operations.*



Inserisci il telaio e solleva il manico per sganciarlo
Plug in the mop holder and lift the handle to release it



Manico alluminio telescopico
Aluminium telescopic handle

Telaio con cono Uni-Connect
Mop holder with Uni-Connect cone

Uni-Connect permette di **agganciare lo stesso manico a qualsiasi telaio in gamma**, sganciando gli attrezzi comodamente sul carrello a operazioni ultimate.

L'innovativo sistema **rende così più efficiente l'intero processo**, dalla pulizia di vetri e superfici a quella di pareti e pavimenti, **ottimizzando al tempo stesso l'equipaggiamento del carrello** senza comprometterne la compattezza.

*Uni-Connect allows **the same handle to be attached to any mop holder available in the range**, releasing the tools conveniently on the trolley once operations are complete.*

*The innovative system **thus makes the entire process**, from cleaning glass and surfaces to cleaning walls and floors, **more efficient, while optimising the equipment of the trolley** without compromising its dimensions.*



**VAI AL CATALOGO GENERALE
PER CONSULTARE I PRODOTTI**

GO TO THE GENERAL CATALOGUE
TO SEE THE PRODUCTS



GUARDA IL VIDEO

WATCH THE VIDEO





FILMOP INTERNATIONAL SRL (Soc. a Socio Unico)
Via dell'Artigianato 10/11, 35010 VILLA DEL CONTE (PD), ITALY
Tel. +39 049 9325066 - Fax +39 049 9325317
e-mail: filmop@filmop.com - www.filmop.com

Foto e contenuti potrebbero aver subito alcuni aggiornamenti
Photos and contents may have been updated



Certificazione di prodotto valida per una gamma di prodotti in plastica
Product certification valid for a range of plastic products



Certificazione di prodotto valida per una gamma di prodotti tessili
Product certification valid for a range of textile products



Certificazione di prodotto valida per alcuni mobili carrellati
Product certification valid for a selection of wheeled cabinets

Torna all'indice
Back to *index*

NEW

Sistema di chiusura automatica *Automatic locking system*

Con Alpha, la sicurezza è al primo posto

With Alpha, safety comes first



MASSIMA SICUREZZA, MASSIMA SEMPLICITÀ - TOP-LEVEL SAFETY, ZERO COMPLICATIONS

Il **sistema di chiusura automatica** progettato da Filmop rappresenta un salto di qualità nella gestione delle attrezzature e dei prodotti chimici. Concepito per i carrelli **Alpha**, consente di **bloccare in automatico porte e anelli centrali semplicemente chiudendoli**, impedendo l'accesso a persone non autorizzate.

- **Un solo gesto è sufficiente:** chiudi la porta, abbassa il coperchio, e il sistema si attiva all'istante.
- **Solo il personale autorizzato può accedere** all'interno dei vani, grazie alla chiave universale fornita.

Il meccanismo, completamente integrato nella struttura del carrello, non richiede alcuna procedura complessa o interventi manuali aggiuntivi, assicurando **praticità e rapidità in ogni situazione**.

The automatic locking system developed by Filmop sets a new benchmark in managing equipment and chemical products. Designed for Alpha trolleys, the system allows instant locking of doors and central frames simply by closing them, preventing unauthorised access.

- **Just one move is enough:** close the door, lower the cover, and the system instantly locks.
- **Only authorised personnel can open it** with the universal key.

Fully integrated into the trolley's structure, the system requires no complicated procedures, ensuring speed and ease of use at all times.

Punti di forza - Highlights

Massima protezione senza sforzi - Maximum protection with zero effort



Bloccare il carrello è questione di un attimo: basta chiudere e il sistema entra in azione automaticamente, senza richiedere procedure complicate.

Locking the trolley takes just a second: simply close it and the system activates automatically, with no levers or complicated steps.

Accesso riservato al personale autorizzato - Access restricted to authorised personnel



Solo chi possiede la chiave universale può aprire i vani del carrello, garantendo un controllo rigoroso su detersivi, attrezzature e materiali sensibili.

Only those with the universal key can access the compartments, ensuring strict control over chemicals, equipment, and sensitive materials.


Efficienza operativa garantita - Guaranteed operational efficiency



Riduce i tempi morti: l'operatore può lavorare in sicurezza senza interrompere il flusso operativo per bloccare o sbloccare manualmente i vani.

Minimises downtime: operators can work securely without pausing their workflow to manually lock or unlock compartments.

Sicurezza a prova di distrazione - Distraction-proof safety



Il sistema si attiva in automatico: anche in caso di dimenticanze o fretta, il contenuto del carrello resta protetto.

The system activates automatically: even in a rush or if forgotten, the trolley's contents remain protected.

Principali caratteristiche - Main features

Art. 0000SM00420

La **chiusura automatica della porta** protegge immediatamente il contenuto del vano laterale
Automatic door locking secures side compartment instantly

Art. 0000SM00421

La **chiusura automatica dell'anello centrale** blocca il coperchio con un semplice gesto
Central frame cover locks effortlessly upon closing

Art. P1909918U

La **chiave universale** consente di aprire tutti i punti di accesso con un solo strumento
Universal key, a single tool to unlock all compartments

Art. 0000SM00272

Lo **scomparto dedicato** mantiene la chiave al sicuro e a portata di mano
Dedicated slot keeps the key safe and within reach

Procedura di utilizzo - How to use it

Chiudere la porta e abbassare il coperchio per attivare il blocco
Close the door and lower the cover to activate the locking system

Inserire la chiave universale per sbloccare e accedere al contenuto
Use the universal key to unlock and access the compartments

Riporre la chiave nell'apposito scomparto porta-chiave
Store the key in the dedicated compartment after use



FILMOP INTERNATIONAL SRL (Soc. a Socio Unico)
Via dell'Artigianato 10/11, 35010 VILLA DEL CONTE (PD), ITALY
Tel. +39 049 9325066 - Fax +39 049 9325317
e-mail: filmop@filmop.com - www.filmop.com

Foto e contenuti potrebbero aver subito alcuni aggiornamenti
Photos and contents may have been updated



Certificazione di prodotto valida per una gamma di prodotti in plastica
Product certification valid for a range of plastic products



Certificazione di prodotto valida per una gamma di prodotti tessili
Product certification valid for a range of textile products



Certificazione di prodotto valida per alcuni mobili carrellati
Product certification valid for a selection of wheeled cabinets

Torna all'indice
Back to **index**



NEW

Education

Prodotti e sistemi per gli ambienti educativi

Products and systems for educational environments



Prendersi cura dell'educazione, a partire dall'igiene

Taking care of education, starting from hygiene



Indice - Index

Introduzione *Introduction*

- 4 **La pulizia al servizio delle strutture educative**
Cleaning at the service of educational facilities
- 6 **Alpha + Top-Down**
Alpha + Top-Down
- 8 **OneFred + Boost**
OneFred + Boost
- 10 **Globo system + Uni-Connect**
Globo system + Uni-Connect
- 12 **Uniko + ErgoSwing**
Uniko + ErgoSwing
- 14 **Telaio con impugnatura**
Mop holder with hand grip
- 16 **Telaio con Uni-Connect**
Mop holder with Uni-Connect
- 18 **Microfibre per superfici e pavimenti**
Microfibres for surfaces and floors

Ambienti educativi *School environments*

- 20 **Aule e uffici**
Classrooms and offices
- 22 **Corridoi**
Corridors
- 24 **Bagni**
Toilets
- 26 **Mense**
Cafeteria

LA PULIZIA AL SERVIZIO DELLE STRUTTURE EDUCATIVE CLEANING AT THE SERVICE OF EDUCATIONAL FACILITIES



Assicurare ambienti puliti e salubri significa tutelare la salute di studenti, insegnanti e personale scolastico.

Asili, scuole e istituti di formazione richiedono prodotti e sistemi di pulizia all'altezza del compito, progettati per rispondere alle specifiche esigenze del settore educativo.

Filmop offre una **gamma completa di attrezzature professionali** che favoriscono il mantenimento di **elevati standard igienici**, prevenendo la diffusione di virus e batteri.

Ensuring a clean and healthy environment means protecting the health of students, teachers and school staff.

Kindergartens, schools and educational institutions require cleaning products and systems that are up to the task, designed to meet the specific needs of the educational sector.

*Filmop offers a **complete range of professional equipment** to help maintain **high standards of hygiene**, preventing the spread of viruses and bacteria.*



Sistemi su misura per ogni ambiente Customised systems for every environment

Le strutture educative sono caratterizzate dalla **compresenza di diversi ambienti, ciascuno con proprie caratteristiche ed esigenze**: aule, uffici, corridoi, mense e servizi igienici richiedono approcci mirati per garantire una pulizia che sia al tempo stesso efficace ed efficiente.

La consolidata esperienza nel settore ha permesso a Filmop di selezionare i prodotti e i sistemi più adatti per **rispondere adeguatamente alle reali necessità** di ogni ambiente.

*Educational facilities are characterised by the **coexistence of different environments, each with its own characteristics and needs**: classrooms, offices, corridors, cafeteria and toilets require targeted approaches to ensure cleaning that is both effective and efficient.*

*The experience gained in the sector has enabled Filmop to select the most suitable products and systems **to meet the real needs** of each environment.*



Alpha + Top-Down

Ergonomico e accessoriabile, il **carrello multiuso Alpha con sistema di pre-impregnazione Top-Down** permette di avere **tutto l'occorrente per una pulizia completa** a portata di mano.

Ergonomic and accessory-friendly, the **multipurpose Alpha trolley with Top-Down pre-soaking system** provides **everything you need for thorough cleaning** at your fingertips.



Secchio 8 lt con coperchio ermetico
Pensato per ospitare i panni per le superfici

8 lt bucket with hermetic cover
Designed to hold cloths for surfaces



Secchi 4 lt con coperchio trasparente
Consentono di riporre attrezzi e materiali

4 lt buckets with transparent cover
Allow storage of tools and materials



Cassetti con chiave
Impediscono accessi non autorizzati

Drawers with keys
Prevent unauthorised access



Secchi 20 lt con coperchio ermetico
Permettono la pre-impregnazione dei panni

20 lt buckets with hermetic cover
Allow pre-soaking of mops

Ruote in gomma ø 300 mm
Consentono di avanzare su qualunque pavimentazione

ø 300 mm rubber wheels
Allow you to move forward on any floor

PERSONALIZZABILE - CUSTOMISABLE

Soddisfa ogni esigenza di pulizia grazie alla modularità dei componenti combinabili con innumerevoli accessori.

It meets all cleaning needs thanks to modular components that can be combined with many accessories.



Realizzato in parte con componenti in plastica certificati **Plastica Seconda Vita**
Made partially using plastic components that are certified Plastic Second Life



Portasacco pieghevole rinforzato

Progettato per ridurre l'ingombro e assicurare un'elevata resistenza

Reinforced foldable bag holder

Designed to save space and ensure high resistance



Ruote in gomma ø 125 mm con freno

Evitano movimenti involontari del carrello

ø 125 mm rubber wheels with brake

Prevent unintentional trolley movements



Maniglia di spinta ergonomica

Agevola la conduzione e le manovre

Ergonomic push handle

Makes handling and manoeuvres easier

OneFred + Boost

Compatto e versatile, il **carrello OneFred con strizzatore Boost** assicura una **resa elevata nella pulizia e una significativa riduzione degli sforzi** durante la strizzatura dei panni.

Compact and versatile, OneFred trolley with Boost wringer ensures high cleaning performance and significantly reduced effort when wringing out mops.



Realizzato in parte con componenti in plastica certificati Plastica Seconda Vita
Made partially using plastic components that are certified Plastic Second Life

Impugnatura ergonomica
Facilita la conduzione del carrello
Ergonomic grip
It facilitates trolley handling



Cassetta portaoggetti
Offre un comodo spazio di stoccaggio
Storage box
Provides convenient storage space




Secchi intercambiabili
È possibile utilizzare sia due secchi da 15 lt sia due da 25
Interchangeable buckets
You can use either two 15 lt or two 25 lt buckets

Paracolpi integrati
Aumentano la resistenza agli urti
Built-in bumpers
Increase impact resistance

Telaio compatto
Progettato per essere leggero e resistente
Compact frame
Designed to be lightweight and durable

Manici con codice colore
Identificano la soluzione detergente e l'acqua di risciacquo
Colour-coded handles
Identify cleaning solution and rinse water



Kit reggiscopa
Trasporta in sicurezza l'attrezzatura
Mop holder kit
Safe transport of equipment

MINOR SFORZO - LESS EFFORT

Lo strizzatore a piastra Boost **strizza il 20% in più con metà dello sforzo** rispetto agli strizzatori tradizionali.*

*Boost flat wringer wrings 20% more with half the effort compared to traditional wringers.**



Manico con manopola
È sufficiente abbassarlo una sola volta per ottenere la strizzata ideale

Handle with grip
Simply lower it once to achieve the ideal wringing




Spessore piastra regolabile
Per ottenere un panno più o meno umido in base alle esigenze

Adjustable plate thickness
To obtain a more or less wet mop as required




Boccole regolabili
Per adattare la strizzatura alle frange a filato rasato o strutturato
Adjustable bushings
To adapt wringing to short-looped or long-looped flat mops



Invaso trapezoidale
Per consentire alla frangia di entrare completamente
Trapezoidal space
To allow the flat mop to enter completely



VIDEO CON ISTRUZIONI PER LA REGOLAZIONE
VIDEO WITH ADJUSTMENT INSTRUCTIONS



Gancio portamanico
Per il trasporto in sicurezza dell'attrezzo
Handle holder
For safe transport of the tool

* Risultati ottenuti dai test condotti con lo strizzatore Boost e uno strizzatore tradizionale con pressini
** Results from tests with the Boost wringer and a traditional down-press wringer*

Globo system + Uni-Connect

Globo offre una **maggiore superficie lavante** rispetto al metodo tradizionale con mop mentre **Uni-Connect** consente di **utilizzare lo stesso manico** con tutte le attrezzature in gamma.

Globo offers a **larger washing surface** than the traditional method with a mop, while **Uni-Connect** allows **the same handle to be used** with all equipment in the range.



Bocchettone e cono Uni-Connect
Per agganciare il manico a qualsiasi attrezzo

Uni-Connect fitting and cone
To attach the handle to any tool

TOUCH-FREE - TOUCH-FREE



Messa in opera

Il telaio rimane parzialmente aperto per agevolarla

Use

The mop holder remains partially open to facilitate it



Apertura del telaio

Il pulsante a pedale la rende semplice e rapida

Mop holder opening

The foot pedal makes it quick and easy



Sgancio del panno

L'apposito pulsante consente uno sgancio touch-free

Mop detaching

The buttons allow touch-free detaching



PROCEDURA GUIDATA ONLINE
ONLINE WIZARD

Uniko + ErgoSwing

Uniko assicura una **maggiore ergonomia e igiene** rispetto ai sistemi di lavaggio tradizionali mentre **ErgoSwing** asseconda il movimento a "S" prevenendo l'affaticamento.

Uniko ensures greater ergonomics and hygiene compared to traditional mopping systems, while ErgoSwing follows the 'S'-shaped movement, greatly reducing strain.



Impugnatura superiore girevole
Per ridurre i movimenti del polso

Swivelling upper handle
To reduce wrist movements



Impugnatura inferiore girevole
Per mantenere una postura corretta

Swivelling lower handle
To maintain correct posture



Articolazione snodata
Per raggiungere le zone di difficile accesso

Jointed articulation
To get to hard-to-reach areas

Bocchettone ErgoSwing
Per facilitare la pulizia riducendo gli sforzi

ErgoSwing fitting
To facilitate cleaning while reducing effort



Gancio ferma frangia
Per rimuovere la frangia senza contatto

Mop fixing clip
To remove the mop without contact

Pulsante a pedale
Per l'apertura rapida del telaio

Foot pedal
For quick opening of the mop holder



ERGOSWING TUTELA LA SALUTE DELL'OPERATORE

Garantisce un **minor affaticamento** e una **maggiore produttività**, assicurando nel contempo elevate prestazioni.

ERGOSWING PROTECTS THE HEALTH OF THE OPERATOR

It provides **less fatigue** and **higher productivity** while ensuring high performance.



Telaio con impugnatura

Mop holder with grip

Il **telaio pieghevole con impugnatura** è dotato di un **sistema touch-free** per agganciare e sganciare il panno in maniera immediata e senza alcun contatto con le mani.

The **foldable mop holder** with grip is equipped with a **touch-free system** to hook and unhook the mop immediately and without any hand contact.




Impugnatura manuale
Assicura una presa salda e confortevole

Hand grip
Provides a firm and comfortable hold



Pulsante sagomato
Consente di aprire il telaio per agganciare o sganciare il panno

Shaped button
Allows the holder to be opened to hook or unhook the mop



Telaio con Uni-Connect Mop holder with Uni-Connect

Il **telaio pieghevole con Uni-Connect** semplifica e velocizza la **pulizia delle superfici verticali**, consentendo di raggiungere in sicurezza anche quelle più elevate.

The **foldable mop holder with Uni-Connect** makes **cleaning of vertical surfaces** quick and easy, allowing even the highest surfaces to be reached safely.



Bocchettone e cono Uni-Connect
Consente di usare lo stesso manico con ogni attrezzo

Uni-Connect fitting and cone
Allows the same handle to be used with each too

Tecnologia Lock system

Agevola la pulizia di pareti e soffitti

Lock system technology

Facilitates cleaning of walls and ceilings




Pulsante a pressione

Permette di aprire il telaio per inserire il panno o per rimuoverlo

Push button

Allows the holder to be opened to insert the mop or to remove it



Microfibre per superfici e pavimenti

Le **microfibre Filmop** sono il risultato di oltre cinquant'anni di esperienza che ci permettono di offrire una gamma completa di prodotti tessili di **alta qualità e basso impatto ambientale**.

Molteplici linee di panni e frange hanno ottenuto la prestigiosa **certificazione Ecolabel UE**, il marchio dell'Unione Europea che premia i **migliori prodotti ecosostenibili**.

OTTIMA RACCOLTA
EXCELLENT COLLECTION

I sottilissimi filamenti della microfibra **puliscono in profondità ogni tipo di superficie**, catturando lo sporco e rimuovendo virus e batteri.

*The very thin filaments of the microfiber **deeply clean all kinds of surfaces**, capturing dirt and removing viruses and bacteria.*

MASSIMA ASSORBENZA
MAXIMUM ABSORBENCY

L'alta densità dei filamenti genera una rete capillare che garantisce un'elevata assorbenza che si traduce in una **lunga autonomia di lavaggio**.

*The high density of the filaments generates a capillary action that guarantees high absorbency, which means a **long washing autonomy**.*

RIDUZIONE DEI COSTI
COST REDUCTION

L'efficace azione meccanica permette di **ridurre il consumo di detersivi e disinfettanti** e di conseguenza i relativi costi.

*The effective mechanical action **reduces the use of cleaning agents and disinfectants** and consequently costs.*

RISPETTO DELL'AMBIENTE
RESPECT FOR THE ENVIRONMENT

L'alto potere assorbente consente un **notevole risparmio di acqua** mentre la caratteristica durevolezza permette di **ridurre sensibilmente l'uso di risorse**.

*The high absorbent power allows **significant water savings**, while the characteristic durability allows a **significant reduction in resource use**.*

CONFORMI AI CAM - CAM COMPLIANT

I Criteri Ambientali Minimi dedicati ai servizi di pulizia e sanificazione incentivano l'utilizzo di microfibra in quanto considerata una **soluzione altamente efficiente**: il comprovato potere assorbente permette infatti di **ridurre il consumo di acqua e sostanze chimiche del 95%**.

*The Minimum Environmental Criteria dedicated to cleaning and sanitizing services encourage the use of microfiber as it is considered a **highly efficient solution**: the proven absorbency allows to **reduce the consumption of water and chemicals by 95%**.*



Microfibres for surfaces and floors

Filmop microfibres are the result of more than fifty years of experience offering a complete range of **high quality, low environmental impact** textile products.

Several lines of microfiber head mops and flat mops have obtained the prestigious **EU Ecolabel certification**, the European Union mark that rewards the **best products with a low impact on the ecosystem**.



Aule e uffici - Classrooms and offices

Aule e uffici sono ambienti vissuti quotidianamente da alunni, docenti e personale amministrativo, in cui il rischio di diffusione di agenti patogeni è particolarmente elevato.

Classrooms and offices are environments experienced daily by pupils, teachers and administrative staff, where the risk of spreading pathogens is particularly high.

Le attrezzature selezionate da Filmop permettono di **pulire in profondità rimuovendo efficacemente sporco, virus e batteri.**

The equipment selected by Filmop makes deep cleaning possible, effectively removing dirt, viruses and bacteria.



MA0568702U035

ALPHA 0568702 - raccolta + stoccaggio + impregnazione
ALPHA 0568702 - collection + storage + soaking

I SISTEMI CONSIGLIATI - RECOMMENDED SYSTEMS

SPOLVERO SUPERFICI SURFACE DUSTING



2640U

Telaio Snake (60 cm)
Snake holder (60 cm)



2085 ○ | 2085A ●

Ricambio Spillo e Snake microfibra filato corto (60 cm)
Microfiber sleeve, short microfiber, for Spillo and Snake hand duster (60 cm)

SPOLVERO PAVIMENTI E RACCOLTA FLOOR DUSTING AND COLLECTION



79001A

Spark con ErgoSwing (60 cm)
Spark with ErgoSwing (60 cm)



50002

Panno impregnato (60 cm)
Pre-soaked cloth (60 cm)



0000AM3047A

Manico per ErgoSwing
Handle with ErgoSwing



000010405A

JOBBY con coperchio e impugnatura pieghevole
Jobby with cover and foldable grip



0000SC10200

Tergipavimento
Floor squeegee



0000SC01030

Scopa per Jobby
Broom for Jobby dust pan

LAVAGGIO SUPERFICI E PULIZIA VETRI SURFACE WASHING AND GLASS CLEANING



5235A

Telaio pieghevole con impugnatura (30 cm)
Foldable mop holder with grip (30 cm)



0000TP1821AU

Telaio pieghevole con Uni-Connect (30 cm)
Foldable mop holder with Uni-Connect (30 cm)



00PN0304B00

Ricambio Micro-Activa tasche (30 cm)
Micro-Activa pocket mop (30 cm)



TCH101020 ● | TCH101030 ● | TCH101040 ●

MULTI-T - panno multiuso in ultra-microfibra
MULTI-T - ultra-microfiber multipurpose cloth




0000TP1817U

Attrezzo con sistema a strappo e Uni-Connect con cono linea stretta
Cloth holder with strap tape system and Uni-Connect with end cone narrow line



0000PN02016

Panno ultra-microfibra (30 cm)
Ultra-microfiber mop (30 cm)



5233U

Top-Clean (30 cm)
Top-Clean (30 cm)



0000AM3070A

Manico alluminio telescopico con manopola ergonomica (184 cm)
Aluminium telescopic handle with ergonomic grip (184 cm)

LAVAGGIO PAVIMENTI FLOOR WASHING



0000TD0920AU

UNIKO con ErgoSwing (40 cm)
UNIKO with ErgoSwing (40 cm)



000EPN04012

Micro-Activa con tasche (40 cm)
Micro-Activa with pockets (40 cm)



0000AM3047A

Manico per ErgoSwing
Handle with ErgoSwing

Corridoi - Corridors

Sottoposti a un continuo via vai di studenti e personale, i corridoi rappresentano una delle aree più trafficate delle strutture educative, tendendo così a sporcarsi più rapidamente.

Subjected to a constant coming and going of students and staff, the corridors are one of the busiest areas of educational facilities and thus tend to get dirty more quickly.

Le attrezzature selezionate da Filmop permettono di **intervenire in modo rapido ed efficiente, anche negli spazi ristretti.**

*The equipment selected by Filmop makes it possible to **clean quickly and efficiently, even in confined spaces.***



0071LF0051YU

OneFred con maniglia plastica, cassetta e strizzatore Boost
OneFred with plastic grip, basket and Boost wringer

I SISTEMI CONSIGLIATI - RECOMMENDED SYSTEMS

SPOLVERO SUPERFICI SURFACE DUSTING



2640U

Telaio Snake (60 cm)
Snake holder (60 cm)

2085○ | 2085A●

Ricambio Spillo e Snake microfibra filato corto (60 cm)
Microfiber sleeve, short microfiber, for Spillo and Snake hand duster (60 cm)

SPOLVERO PAVIMENTI E RACCOLTA FLOOR DUSTING AND COLLECTION



79001A

Spark con ErgoSwing (60 cm)
Spark with ErgoSwing (60 cm)

50002

Panno impregnato (60 cm)
Pre-soaked cloth (60 cm)

0000AM3047A

Manico per ErgoSwing - Handle with ErgoSwing



5201/1

Telaio ferro a forbice
Metal V-sweeper dust mop holder

5203

Manico cromato a forbice con attacco rinforzato
Chromed V-sweeper handle with central plastic reinforcement

5102

Frangia a forbice cotone normale con bottoni
Normal cotton V-sweeper mop with buttons



000010405A

JOBBY con coperchio e impugnatura pieghevole
Jobby with cover and foldable grip

0000SC10200

Tergipavimento
Floor squeegee

0000SC01030

Scopa per Jobby
Broom for Jobby dust pan

LAVAGGIO SUPERFICI SURFACE WASHING



TCH101020● | TCH101030● | TCH101040●

MULTI-T - panno multiuso in ultra-microfibra
MULTI-T - ultra-microfiber multipurpose cloth

LAVAGGIO PAVIMENTI FLOOR WASHING



0000TP1809AU

Telaio GLOBO con Uni-Connect (40 cm)
GLOBO mop holder with Uni-Connect (40 cm)

0EPN0404K00

GLOBO Micro-Activa (40 cm)
GLOBO Micro-Activa (40 cm)



0EPN0412K00

GLOBO Puli-Scrub (40 cm)
GLOBO Puli-Scrub (40 cm)

0000AM3070A

Manico alluminio telescopico con manopola ergonomica (184 cm)
Aluminium telescopic handle with ergonomic grip (184 cm)

Bagni - Toilets

I bagni richiedono una pulizia accurata e costante, essenziale per garantire ambienti sani, prevenire il rischio di contaminazioni e assicurare il rispetto degli standard igienici previsti.

Toilets require thorough and constant cleaning, which is essential to ensure healthy environments, prevent the risk of contamination and ensure compliance with hygiene standards.

Le attrezzature selezionate da Filmop permettono di **pulire efficacemente ogni area, consentendo il mantenimento di un alto livello di igiene.**

The equipment selected by Filmop makes it possible to **effectively clean any area, allowing a high level of hygiene to be maintained.**



0071LF0051YU

OneFred con maniglia plastica, cassetta e strizzatore Boost
OneFred with plastic grip, basket and Boost wringer



MA0568702U035

ALPHA 0568702 - raccolta + stoccaggio + impregnazione
ALPHA 0568702 - collection + storage + soaking

I SISTEMI CONSIGLIATI - RECOMMENDED SYSTEMS

LAVAGGIO SUPERFICI E PULIZIA VETRI E SPECCHI SURFACE WASHING AND GLASS AND MIRROR CLEANING



0000TP1821AU

Telaio pieghevole con Uni-Connect (30 cm)
Foldable mop holder with Uni-Connect (30 cm)



00PN0304B00

Ricambio Micro-Activa tasche (30 cm)
Micro-Activa pocket mop (30 cm)



0000AM3070A

Manico alluminio telescopico con manopola ergonomica (184 cm)
Aluminium telescopic handle with ergonomic grip (184 cm)




TCH101010

MULTI-T - panno multiuso in ultra-microfibra
MULTI-T - ultra-microfiber multipurpose cloth



0000TP1817U

Attrezzo con sistema a strappo e Uni-Connect con cono linea stretta
Cloth holder with strap tape system and Uni-Connect with end cone narrow line



5233U

Top-Clean (30 cm)
Top-Clean (30 cm)



0000PN02016

Panno ultra-microfibra (30 cm)
Ultra-microfiber mop (30 cm)

RACCOLTA COLLECTION



000010405A

JOBBY con coperchio e impugnatura pieghevole
Jobby with cover and foldable grip



0000SC01030

Scopa per Jobby
Broom for Jobby dust pan



0000SC10200

Tergipavimento
Floor squeegee



0000PA20400

Kit Baggy con impugnatura pieghevole
Kit Baggy with foldable grip

LAVAGGIO PAVIMENTI FLOOR WASHING



0000TD0920AU

UNIKO con ErgoSwing (40 cm)
UNIKO with ErgoSwing (40 cm)



000EPN04012

Micro-Activa con tasche (40 cm)
Micro-Activa with pockets (40 cm)



0000TP1809AU

Telaio GLOBO con Uni-Connect (40 cm)
GLOBO mop holder with Uni-Connect (40 cm)



0EPN0404K00

GLOBO Micro-Activa (40 cm)
GLOBO Micro-Activa (40 cm)



0EPN0412K00

GLOBO Puli-Scrub (40 cm)
GLOBO Puli-Scrub (40 cm)



0000AM3047A

Manico per ErgoSwing
Handle with ErgoSwing



0000AM3070A

Manico alluminio telescopico con manopola ergonomica (184 cm)
Aluminium telescopic handle with ergonomic grip (184 cm)

Mense - Cafeteria

Le mense scolastiche sono ambienti ai quali è necessario prestare particolare attenzione e in cui l'igiene riveste un ruolo centrale per la sicurezza alimentare e la tutela della salute.

School canteens are environments to which special attention must be paid and where hygiene plays a central role in food safety and health protection.

Le attrezzature selezionate da Filmop permettono di **pulire accuratamente le superfici, gestendo in modo adeguato i diversi livelli di rischio.**

*The equipment selected by Filmop makes it possible to **clean surfaces thoroughly, handling different levels of risk appropriately.***



0071LF0051YU

OneFred con maniglia plastica, cassetta e strizzatore Boost
OneFred with plastic grip, basket and Boost wringer

MA0568702U035

ALPHA 0568702 - raccolta + stoccaggio + impregnazione
ALPHA 0568702 - collection + storage + soaking

I SISTEMI CONSIGLIATI - RECOMMENDED SYSTEMS

SPOLVERO SUPERFICI SURFACE DUSTING



2640U

Telaio Snake (60 cm)
Snake holder (60 cm)



2085 ○ | 2085A ●

Ricambio Spillo e Snake microfibra filato corto (60 cm)
Microfiber sleeve, short microfiber, for Spillo and Snake hand duster (60 cm)

LAVAGGIO SUPERFICI E PULIZIA VETRI SURFACE WASHING AND GLASS CLEANING



5235A

Telaio pieghevole con impugnatura (30 cm)
Foldable mop holder with grip (30 cm)




0000TP1821AU

Telaio pieghevole con Uni-Connect (30 cm)
Foldable mop holder with Uni-Connect (30 cm)



00PN0304B00

Ricambio Micro-Activa tasche (30 cm)
Micro-Activa pocket mop (30 cm)



TCH101020 ● | TCH101030 ● | TCH101040 ●

MULTI-T - panno multiuso in ultra-microfibra
MULTI-T - ultra-microfiber multipurpose cloth



0000TP1817U

Attrezzo con sistema a strappo e Uni-Connect con cono linea stretta
Cloth holder with strap tape system and Uni-Connect with end cone narrow line



0000PN02016

Panno ultra-microfibra (30 cm)
Ultra-microfiber mop (30 cm)



5233U

Top-Clean (30 cm)
Top-Clean (30 cm)



0000AM3070A

Manico alluminio telescopico con manopola ergonomica (184 cm)
Aluminium telescopic handle with ergonomic grip (184 cm)

I SISTEMI CONSIGLIATI - RECOMMENDED SYSTEMS

SPOLVERO PAVIMENTI E RACCOLTA FLOOR DUSTING AND COLLECTION



79001A

Spark con ErgoSwing (60 cm)
Spark with ErgoSwing (60 cm)



50002

Panno impregnato (60 cm)
Pre-soaked cloth (60 cm)

0000AM3047A

Manico per ErgoSwing - Handle with ErgoSwing



000010405A

JOBby con coperchio e
impugnatura pieghevole
Jobby with cover
and foldable grip



0000SC10200

Tergipavimento
Floor squeegee



0000SC01030

Scopa per Jobby
Broom for Jobby
dust pan



0000PA20400

Kit Baggy con impugnatura pieghevole
Kit Baggy with foldable grip

LAVAGGIO PAVIMENTI FLOOR WASHING



0000TD0920AU

UNIKO con ErgoSwing (40 cm)
UNIKO with ErgoSwing (40 cm)




000EPN04012

Micro-Activa con tasche (40 cm)
Micro-Activa with pockets (40 cm)

0000AM3047A

Manico per ErgoSwing - Handle with ErgoSwing



0000TP1809AU

Telaio GLOBO
con Uni-Connect (40 cm)
GLOBO mop holder
with Uni-Connect (40 cm)



0EPN0404K00

GLOBO Micro-Activa (40 cm)
GLOBO Micro-Activa (40 cm)



0EPN0412K00

GLOBO Puli-Scrub (40 cm)
GLOBO Puli-Scrub (40 cm)

0000AM3070A

Manico alluminio telescopico con manopola ergonomica (184 cm)
Aluminium telescopic handle with ergonomic grip (184 cm)



FILMOP INTERNATIONAL SRL (Soc. a Socio Unico)
Via dell'Artigianato 10/11, 35010 VILLA DEL CONTE (PD), ITALY
Tel. +39 049 9325066 - Fax +39 049 9325317
e-mail: filmop@filmop.com - www.filmop.com

Foto e contenuti potrebbero aver subito alcuni aggiornamenti
Photos and contents may have been updated

Distributore_Distributor



Certificazione di prodotto
valida per una gamma di
prodotti in plastica
Product certification valid
for a range of plastic products



Certificazione di prodotto
valida per una gamma di
prodotti tessili
Product certification valid
for a range of textile products



Certificazione di prodotto
valida per alcuni
mobili carrellati
Product certification valid for
a selection of wheeled cabinets